	r	٩
-	Ŀ	

Patient Name: Assessment Date:		*	_		_	
	Current Analg	esic Regimen				
Drug name	Strength (eg, mg)	Frequency	Maxi	num Total	Daily Dose	
The PADT is a clinician-directed interview; that Activities of Daily Living, and Adverse Events se The Potential Aberrant Drug-Related Behavior tions below, except as noted.	ctions may be comple	ted by the physician, nurse proc ins must be completed by the p	titioner, p hysician. A	hysicion ossis	itant, or nurse nt the ques-	
Analgesia		Activities of Daily Living				
bad as it can be," on a scale of 0 to 10, level of pain for the following questions 1. What was your pain level on average past week? (Please circle the approp	? e during the	the current pain relieve Worse since the patient PADT.* (Please check t Worse for each item bo	i's last as he box f	sessment v	vith the	
No Pain 0 1 2 3 4 5 6 7 8 9 1	Pain as bad as it can be	1. Physical functioning	0	٥	0	
?. What was your pain level at its worst during the past week? Pain as had		2. Family relationships	٥	0	٥	
No Pain 0 I 2 3 4 5 6 7 8 9 I	as it can be	3. Social relationships	٥	٥	0	
 What percentage of your pain has b during the past week? (Write in a p between 0% and 100%.) 		4. Mood	0	0	٥	
4. Is the amount of pain relief you are from your current pain reliever(s) e a real difference in your life?		5. Sleep patterns	0	٥	0	
☐ Yes ☐ No		6. Overall functioning	0		٥	
5. Query to clinician: Is the patient's clinically significant? Yes No	pain relief Unsure	* If the patient is receiving the clinician should compound the other reports from the compound that the compound the compound that the compound that the compound the compound the compound that the compound the compo	are the pa	tient's functi		

(Continued on reverse side)

Copyright Janssen Pharmaceutica Products, L.P. @2003 All rights reserved.

В

PROGRESS NOTE Pain Assessment and Documentation Tool (PADT™)

Adverse Events					Potential Aberrant Drug-Related Behavio This section must be completed by the physician.		
Is patient experi current pain reli Ask patient about	ever(s)?	□Ye	s 🗆 No	,	Please check any of the following items that you discovered during your interactions with the patient. Please note that some of these are directly observable (eg. appears intoxicated), while others may require more active listening and/or probing. Use the "Assessment" section below to note additional details.		
	None	Mild	Madama		☐ Purposeful over-sedation		
	None	Mild	Moderate	Severe	☐ Negative mood change		
a. Nausea			0		☐ Appears intoxicated		
b. Vomiting					☐ Increasingly unkempt or impaired		
				_	Involvement in car or other accident		
c. Constipation			0		☐ Requests frequent early renewals ☐ Increased dose without authorization		
d. Itching				a	Reports lost or stolen prescriptions		
e. Mental cloudines	• 🗅			П	Attempts to obtain prescriptions from other		
Patricia de la constitución de la contraction de		3.77	-		doctors		
f. Sweating				0	☐ Changes route of administration		
g. Fatigue				0	 Uses pain medication in response to situational stressor 		
h. Drowsiness					☐ Insists on certain medications by name		
i. Other					☐ Contact with street drug culture		
			- 177	1975	☐ Abusing alcohol or illicit drugs		
j. Other		_ 0		0	☐ Hoarding (ie, stockpiling) of medication ☐ Arrested by police		
2. Patient's overall		مد منظم	offe ere)		☐ Victim of abuse		
□ None □ Mild		Moderat		evere	Other:		
Assessment: (Tills your overall impropiold therapy?	ession t DYes	hat this (patient is b	enefiting (eg, benefits, such as pain relief, outweigh side effects) from I Unsure		
Specific Analge	sic Pla	ın:					
☐ Continue present	regimer	•	Com	ments:			
☐ Adjust dose of pro	esent an	algesic		_			
☐ Switch analgesics				_			
☐ Add/Adjust conco	mitant t	herapy		_			
	off onic	old thera	ру				
□ Discontinue/taper	On Opio						
					re:		