

Chronic Pain Management for non-Cancer Patients—References

R Pels, 8/11/15

General

AGS Panel on the Pharmacological Management of Persistent Pain in Older Persons. Pharmacological Management of Persistent Pain in Older Persons. American Geriatrics Society. *J Am Geriatr Soc* 2009;57:1331-1346.

Dobscha SK, Corson K, et al. Collaborative care for chronic pain in primary care. *JAMA* 2009;301:1242-1252.

Gureje O, Von Korff M, Simon GE, Gater R. Persistent pain and well-being: A World Health Organization study in primary care. *JAMA* 1998;280:147-151.

Keefe FJ. Cognitive behavioral therapy for managing pain. *The clinical Psychologist* 1996;49:4-5.

Kroenke K, Bair MJ, Damush TM, et al. Optimized antidepressant therapy and pain self-management in primary care patients with depression and musculoskeletal pain: a randomized controlled trial. *JAMA*. 2009;301:2099-2110.

Mularski RA, White-Chu F et al. Measuring pain as the 5th vital sign does not improve quality of pain management. *J Gen Intern Med*. 2006;21(6):607-12.

Turk DC. Efficacy of multidisciplinary pain centers in the treatment of chronic pain. In MJM Cohen & NJ Campbell (eds.) *Pain Treatment Centers at a Crossroads: A Practical and Conceptual Reappraisal, Progress in Pain Research and Management (Vol. 7) 1996*. Seattle, WA:IASP Press, 257-273.

Opioids

<http://nationalpaincentre.mcmaster.ca/opioid/index.html> [Accessed 8/11/2015]

Alford DP (discussant). Chronic back pain with possible prescription opioid misuse. *JAMA* 2013;309:919-925.

Ballantyne JC, Sullivan MD, Kolodny A. Opioid dependence vs addiction. A distinction without a difference? *ArchInternMed* 2012;172:1342-1343.

Chou R, Fanciullo GJ, et al. Clinical guidelines for the use of chronic opioid therapy in chronic noncancer pain. *J Pain* 2009;10:113-130.

Chou R, Turner JA, Devine EB et al. The effectiveness and risks of long-term opioid therapy for chronic pain: a systematic review for a National Institutes of Health pathways to prevention workshop. *Ann Intern Med* 2015;162(4): 276-286.

Dowell D, Kunins HV, Farley TA. Opioid analgesics—Risky drugs, not risky patients. *JAMA* 2012;309:2219-2220.

Dunn KM, Saunders KW, et al. Opioid prescriptions for chronic pain and overdose. *Ann Intern Med* 2010;152:85-92.

Eisenberg E, McNicol ED, Carr DB. Efficacy and safety of opioid agonists in the treatment of neuropathic pain of nonmalignant origin. *JAMA* 2005;293:3043-3052.

Gilron I et al. Nortriptyline and gabapentin, alone and in combination for neuropathic pain: a double-blind, randomised controlled crossover trial. *Lancet* 2009;374:61081-61083.

Korff MV, Saunders K, Thomas Ray G, et al. De facto long-term opioid therapy for noncancer pain. *Clin J Pain*. Jul-Aug 2008;24(6):521-527.

Martin BC, Fan MY, Edlund MJ, Devries A, Braden JB, Sullivan MD. Long-term chronic opioid therapy discontinuation rates from the TROUP study. *J Gen Intern Med*. Dec 2011;26(12):1450-1457.

Reuben DB, Alvanzo AA, Ashikaga T et al. National Institutes of Health pathways to prevention workshop: the role of opioids in the treatment of chronic pain. *Ann Intern Med* 2015; 162(4): 295-300.

Solomon DH, Rassen JA, Glynn RJ, et al. The comparative safety of analgesics in older adults with arthritis. *Arch Intern Med*. 2010;170:1968-1978.

Solomon DH, Rassen JA, Glynn RJ, et al. The comparative safety of opioids for nonmalignant pain in older adults. *Arch Intern Med*. 2010;170:1979-1986.

Sullivan MD, Ballantyne JC. What are we treating with chronic opioid therapy? *Arch Int Med*. 2012;172(5):433-434.

Weissman DE, Haddox JD. Opioid pseudoaddiction--an iatrogenic syndrome. *Pain* 1989;36(3):363-6.

Screening and Monitoring

Arnold RM, Han PK, Seltzer D. Opioid contracts in chronic nonmalignant pain management: objectives and uncertainties. *Am J Med* 2006;119:292-296.

Fishbain DA et al. What percentage of chronic nonmalignant pain patients exposed to chronic opioid analgesic therapy develop abuse/addiction and/or aberrant drug-related behaviors? A structured evidence-based review. *Pain Med* 2008;9:444-459.

Fishman SM et al. The trilateral opioid contract: bridging the pain clinic and the primary care physician through the opioid pain contract. *J Pain Sympt Manag* 2002;3(4):335-344.

Gourlay DL, Heit HA, Almahrezi A. Universal precautions in pain medicine: a rational approach to the treatment of chronic pain. *Pain Med*. 2005;6:107-112.

Heit HA, Gourlay DL. Urine drug testing in pain medicine. *J Pain Symptom Manage* 2004;27(3):260-267.

Nuckols TK, Anderson L, et al. Opioid prescribing: A systematic review and critical appraisal of guidelines for chronic pain. *Ann Intern Med* 2014;160(1):38-47.

Passik SD et al. A new tool to assess and document pain outcomes in chronic pain patients receiving opioid therapy. *Clin Ther* 2004;26:552-561.

Starrels JL, Becker WC, et al. Systematic review: Treatment agreements and urine drug testing to reduce opioid misuse in patients with chronic pain. *Ann Intern Med* 2010;152:712-720.

Turk DC, Swanson KS, Gatchel RJ. Predicting opioid misuse by chronic pain patients. A systematic review and literature synthesis. *Clin J Pain* 2008;24:497-508.